Solid State Ionics 52 (1992) 367–370
North-Holland

SOLID
STATE
IONICS

Author Index to Volume 52

Alberti, G., M. Casciola and R. Palombari, Potentiometric sensor for oxygen based on O_2–H_2 mixed potential of a composite Pt-metal hydride electrode 52 (1992) 291
Anderson, H.U., Review of p-type doped perovskite materials for SOFC and other applications 52 (1992) 33
Arai, H., see K. Eguchi 52 (1992) 165

Badwal, S.P.S., Zirconia-based solid electrolytes: microstructure, stability and ionic conductivity 52 (1992) 23
Baek, H.D., see K.Z. Fung 52 (1992) 199
Ball, G.R., see E.D. Wachsman 52 (1992) 213
Barnett, S.A., see L.S. Wang 52 (1992) 261
Bates, J.L., L.A. Chick and W.J. Weber, Synthesis, air sintering, and properties of lanthanum and yttrium chromites and manganites 52 (1992) 235
Bouet, L., Ph. Tailhades, A. Rousset, B. Domenichini and B. Gillot, Mixed valence states of iron and molybdenum ions in $Mo_xFe_{3-x}O_4$ magnetites and related cation deficient ferrites 52 (1992) 285
Bredesen, R., see P. Kofstad 52 (1992) 69

Cai, H., R. Hu, T. Egami and G.C. Farrington, The effect of salt concentration on the local atomic structure and conductivity of PEO-based $NiBr_2$ electrolytes 52 (1992) 333
Casciola, M., see G. Alberti 52 (1992) 291
Chick, L.A., see J.L. Bates 52 (1992) 235
Chou, W.H., see S.S. Zhang 52 (1992) 287
Chu, W.F., Thin- and thick-film solid ionic devices 52 (1992) 243
Cook, R.L., see A.F. Sammells 52 (1992) 111
Cordfunke, E.H.P., see J.A.M. van Roosmalen 52 (1992) 303

De Guire, M.R., M.J. Shingler and E. Dincer, Point defect analysis and microstructural effects in pure and donor-doped ceria 52 (1992) 155
De Jonghe, L.C., see T.W. Kueper 52 (1992) 251
Denecke, M.A., W. Gunsser, A.V. Privalov and I.V. Murin, NMR and XAS study on doped LaF_3 52 (1992) 327
Dincer, E., see M.R. De Guire 52 (1992) 155
Dokiya, M., see H. Yokokawa 52 (1992) 43
Domenichini, B., see L. Bouet 52 (1992) 285

Egami, T., see H. Cai 52 (1992) 333
Eguchi, K., T. Setoguchi, T. Inoue and H. Arai, Electrical properties of ceria-based oxides and their application to solid oxide fuel cells 52 (1992) 165
Elangovan, S., see A. Khandkar 52 (1992) 57

Farrington, G.C., see H. Cai 52 (1992) 333
Fujiki, Y., M. Watanabe, Y. Onoda, S. Yoshikado, T. Ohachi and I. Taniguchi, Flux growth of Mg- or Rb-doped $K_x[Ga_xGa_{8+x}Ti_{16-x}O_{56}]$ single crystals 52 (1992) 347
Fung, K.Z., H.D. Baek and A.V. Virkar, Thermodynamic and kinetic considerations for Bi_2O_3-based electrolytes 52 (1992) 199

Gillot, B., see L. Bouet 52 (1992) 285
Goodenough, J.B., A. Manthiram, M. Paranthaman and Y.S. Zhen, Fast oxide-ion conduction in intergrowth structures 52 (1992) 105
Gunsser, W., see M.A. Denecke 52 (1992) 327

Han, H., G. Yu and W. Yi, A study on the influence of the mass transfer of oxygen in liquid steel on oxygen sensor response 52 (1992) 297
Hepola, J., Effect of mixing and particle size on calcination and sulphation of limestones in an isothermal flow reactor 52 (1992) 313
Honegger, K., see A.R. Nicoll 52 (1992) 269
Hu, R., see H. Cai 52 (1992) 333

Inoue, T., see K. Eguchi 52 (1992) 165
Iwahara, H., Oxide-ionic and protonic conductors based on perovskite-type oxides and their possible applications 52 (1992) 99

Jiang, N., see E.D. Wachsman 52 (1992) 213

Karavolis, S., see D.L. Maricle 52 (1992) 173
Kawada, T., see H. Yokokawa 52 (1992) 43
Khandkar, A., see M. Liu 52 (1992) 3
Khandkar, A., S. Elangovan and M. Liu, Materials considerations for application to solid-state electrochemical devices 52 (1992) 57
Klinger, R.E., Thin film deposition technologies, and structure/property relationships applied to solid state ionic conductors 52 (1992) 249
Kofstad, P. and R. Bredesen, High temperature corrosion in SOFC environments 52 (1992) 69
Kueper, T.W., S.J. Visco and L.C. De Jonghe, Thin-film ceramic electrolytes deposited on porous and non-porous substrates by sol–gel techniques 52 (1992) 251
Kuo, C.K., see A. Tan 52 (1992) 357

Lawless, W.N., Solid-state generation of oxygen using ceramic honeycombs 52 (1992) 219
Liu, M. and A. Khandkar, Considerations in design and characterization of solid-state electrochemical systems 52 (1992) 3
Liu, M., see A. Khandkar 52 (1992) 57
Liu, Q., see B. Wang 52 (1992) 363
Liu, Q.G., see S.S. Zhang 52 (1992) 287
Lutz, H.D., A. Pfitzner and I. Solinas, Ionic conductivity of the heterogeneous system $(1-x)Li_2M^{II}Cl_{4-x}Al_2O_3$ (M^{II}=Mg, Mn, Cd) 52 (1992) 353

MacDuff, R.C., see A.F. Sammells 52 (1992) 111
Manthiram, A., see J.B. Goodenough 52 (1992) 105

Maricle, D.L., T.E. Swarr and S. Karavolis, Enhanced ceria – a low-temperature SOFC electrolyte 52 (1992) 173
Mizusaki, J., Nonstoichiometry, diffusion, and electrical properties of perovskite-type oxide electrode materials 52 (1992) 79
Murin, I.V., see M.A. Denecke 52 (1992) 327
Mutsuddy, B.C., see D.S. Patil 52 (1992) 189

Nicholson, P.S., see A. Tan 52 (1992) 357
Nicoll, A.R., A. Salito and K. Honegger, The potential of plasma spraying for the deposition of coatings on SOFC components 52 (1992) 269
Norby, T., see O.J. Velle 52 (1992) 93

Ohachi, T., see Y. Fujiki 52 (1992) 347
Onoda, Y., see Y. Fujiki 52 (1992) 347
Osborne, J.J., see A.F. Sammells 52 (1992) 111

Pal, U.B., Electrochemical vapor deposition of solid oxide films 52 (1992) 227
Palombari, R., see G. Alberti 52 (1992) 291
Paranthaman, M., see J.B. Goodenough 52 (1992) 105
Patil, D.S., N. Venkatramani, V.K. Rohatgi and B.C. Mutsuddy, Investigation on some ceramic materials for electrochemical device applications 52 (1992) 189
Pfitzner, A., see H.D. Lutz 52 (1992) 353
Pound, B.G., The characterization of doped CeO_2 electrodes in solid oxide fuel cells 52 (1992) 183
Privalov, A.V., see M.A. Denecke 52 (1992) 327

Qiu, W., see B. Wang 52 (1992) 363
Qiu, X.P., see S.S. Zhang 52 (1992) 287

Rao, N., C.M. van den Bleek and J. Schoonman, Potentiometric NO_x ($x=1,2$) sensors with Ag^+-β''-alumina as solid electrolyte and Ag metal as solid reference 52 (1992) 339
Riess, I., The possible use of mixed ionic electronic conductors instead of electrolytes in fuel cells 52 (1992) 127
Rohatgi, V.K., see D.S. Patil 52 (1992) 189
Rousset, A., see L. Bouet 52 (1992) 285

Sakai, N., see H. Yokokawa 52 (1992) 43
Salito, A., see A.R. Nicoll 52 (1992) 269
Sammells, A.F., R.L. Cook, J.H. White, J.J. Osborne and R.C. MacDuff, Rational selection of advanced solid electrolytes for intermediate temperature fuel cells 52 (1992) 111
Schoonman, J., see N. Rao 52 (1992) 339
Setoguchi, T., see K. Eguchi 52 (1992) 165
Shingler, M.J., see M.R. De Guire 52 (1992) 155
Solinas, I., see H.D. Lutz 52 (1992) 353
Stevenson, D.A., see E.D. Wachsman 52 (1992) 213
Suitor, J.W., Fabrication/process development of oxygen separation systems 52 (1992) 277
Swarr, T.E., see D.L. Maricle 52 (1992) 173

Tailhades, Ph., see L. Bouet 52 (1992) 285
Tan, A., C.K. Kuo and P.S. Nicholson, Rb^+–NH_4^+ ion exchange kinetics of polycrystalline β''-Al_2O_3 52 (1992) 357
Taniguchi, I., see Y. Fujiki 52 (1992) 347
Thiele, E.S., see L.S. Wang 52 (1992) 261
Tuller, H.L., Mixed ionic–electronic conduction in a number of fluorite and pyrochlore compounds 52 (1992) 135

Van den Bleek, C.M., see N. Rao 52 (1992) 339
Van Roosmalen, J.A.M. and E.H.P. Cordfunke, Chemical reactivity and interdiffusion of (La, Sr)MnO_3 and (Zr, Y)O_2, solid oxide fuel cell cathode and electrolyte materials 52 (1992) 303
Velle, O.J. and T. Norby, Imdepance spectroscopy studies of electrode–electrolyte systems 52 (1992) 93
Venkatramani, N., see D.S. Patil 52 (1992) 189
Virkar, A.V., see K.Z. Fung 52 (1992) 199
Visco, S.J., see T.W. Kueper 52 (1992) 251

Wachsman, E.D., G.R. Ball, N. Jiang and D.A. Stevenson, Structural and defect studies in solid oxide electrolytes 52 (1992) 213
Wang, B., W. Qiu and Q. Liu, The characteristics of different inserting stages of lithium ions into V_6O_{13} cathode 52 (1992) 363
Wang, L.S., E.S. Thiele and S.A. Barnett, Sputter deposition of yttria-stabilized zirconia and silver cermet electrodes for SOFC applications 52 (1992) 261
Watanabe, M., see Y. Fujiki 52 (1992) 347
Weber, W.J., see J.L. Bates 52 (1992) 235
Weppner, W., Tetragonal zirconia polycrystals – a high performance solid oxygen ion conductor 52 (1992) 15
White, J.H., see A.F. Sammells 52 (1992) 111
Worell, W.L., Electrical properties of mixed-conducting oxides having high oxygen-ion conductivity 52 (1992) 147

Xing, B.Q., see S.S. Zhang 52 (1992) 287

Yang, L.L., see S.S. Zhang 52 (1992) 287
Yi, W., see H. Han 52 (1992) 297
Yokokawa, H., N. Sakai, T. Kawada and M. Dokiya, Thermodynamic stabilities of perovskite oxides for electrodes and other electrochemical materials 52 (1992) 43
Yoshikado, S., see Y. Fujiki 52 (1992) 347
Yu, G., see H. Han 52 (1992) 297

Zhang, S.S., X.P. Qiu, W.H. Chou, Q.G. Liu, L.L. Yang and B.Q. Xing, Ferroin-based solid-state electrochromic display 52 (1992) 287
Zhen, Y.S., see J.B. Goodenough 52 (1992) 105

Solid State Ionics 52 (1992) 371–372
North-Holland

SOLID
STATE
IONICS

Subject Index to Volume 52

^{18}O tracer diffusion coefficients, 79

Activation energy for conduction, 111
Aging of zirconia, 23
Alkaline ionic conductor, 347
Anion conductors, 111

β″-alumina
  ammonium, 357
  rubidium, 357
  silver, 339
Bi_2O_3 electrolytes, 199
Bi_2O_3 oxide-based electrolytes, 213
Bond energy, 111
Brower approximation, 155

Calcination, 313
Capacity, 363
Carburization, 69
Ceria, 155, 183
Ceria-alkaline earth systems, 165
Ceria-rare earth oxide systems, 165
Ceria stability, 173
Cermet deposition, 261
Charge carriers, 99, 135, 227,
Charge transfer, 3
Charge transfer resistance, 93
Chemical sensors, 243
  oxygen, 291
Chemical stability of perovskites, 43
Chromia formers, 69
Composite electrolyte, 353
Concentration cell, 99
Conduction mechanism, 79

Defect analysis, 127
Defect model, 135
Deficient ferrites, 285
Deposition technique, 243
Diffusion resistance, 93

Electrochromic systems, 243
Electrochromism, 287
Electrode reactions at ceria interfaces, 165
Electrolytic domain boundary, 173
Electronic conduction, 147
Evaporation, 243
EVD growth of $LaCrO_3$ films, 227
  ZrO_2 films, 227
EVD process, 227

Ferroin, 287
Flux growth, 347
FSZ conductivity, 189

Gibbs–Duhem integration, 199
Glycine nitrate synthesis, 235

Heat exchanger efficiency, 219
High temperature sensor, 297
Honeycomb structure, 219

Impedance spectroscopy, 3, 23, 57, 93, 183,
Insertion, 363
Interdiffusion, 303
Interfacial polarization, 57
Interfacial resistance, 3
Intergrowth structure, 105
Intrachain and interchain correlation, 333
Ion cluster beam, 243
Ion exchange, 357
Ionic conductivity
  alkaline, 347
  lithium, 353
  one-dimensional, 347
  oxide, 105
Irreversibilities, 57
Isothermal flow reactor, 313

Kinetic irreversibilities, 57

Lanthanum trifluoride, 327
Lattice free volume, 111
Limestones, 313
Liquid phase sintering, 235
Lithium battery, 363
Lithium cell, 287
Lithium chloride, 353
Lumped parameter cell, 57

Magnetron sputtering, 261
Metallic interconnect, 69
Minority charge carriers in TZP, 15
Mixed conduction, 155
Mixed conductors
  transition regions, 155

Mixed ion–electron conductors, 99, 127, 135, 147
Mixed-ionic conductors, 99
Mixed potential, 291
Mixed valence conductors, 79
Mo-substituted magnetites, 285
Multicomponent chemical equilibria
calculations, 43

NMR, 327
NO_x sensor, 339

Oxide-ion conduction, 105
Oxide-ion diffusion, 79
Oxygen sensor, 297

Pair distribution function (PDF)
analysis, 333
Perovskites, 33
Phase stability, 213
Phase transformation, 199
Plasma spraying, 269
Polymer electrolytes, 333
Potassium gallotitanogallate, 347
Proton conductors, 99, 111
PSZ conductivity, 189
Pulsed laser plasma, 243

Quality control of spray powders, 269

Rate limiting steps, 3

Semi-metallic conduction, 79
Silver-reference electrode, 339
SIMS, 79
SOFC, 303
Sol–gel technique, 251
Spectroscopy of electrolytes, 213
Spinels, 285
Stability energy, 43
Stability fields, 43
Sublattice ordering, 213
Sulphation, 313
Superionic conductors, 327

TEM of ZrO_2 films, 261
Tetragonal zirconia, 15, 23,
Thermal expansion coefficient, 33, 69
Thermodynamic model, 219
Thermodynamic stability, 199
ceria, 165
Thoria-ceria electrolytes, 135
Titanium hydride, 291
Tolerance factor, 43
Transition regions in mixed conductors, 155
TZP ceramics, 189

Ultra thin electrolyte films, 251

Vacuum plasma spraying, 269
Vanadium oxide cathode material, 363
Voltammetry, 287

Warburg impedance, 15
Work function, 15

X-ray absorption spectroscopy, 327

YSZ-titania, 147

Zirconia, 297
aging, 23
Zirconium phosphate, 291
ZrO_2 coating of ceria, 165